1. IDENTIFICATION

Product Identifier: LIQ. RUST REMOVING SOUR Date of Revision: March 09, 2023

Product Code: L539

Other Name(s): not applicable
Distributed By: not applicable

Recommended Use and Restrictions on Use: laundry sour

Manufactured By: Ostrem Chemical Co. Ltd. Phone/Emergency Phone:

2310 - 80th Avenue NW 780-440-1911

Edmonton, Alberta, Canada T6P 1N2 Mon. - Fri. 8:00am - 4:30pm MT

www.ostrem.com

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Acute Toxicity - Dermal - Category 2

Acute Toxicity, Inhalation - Category 3 Acute Toxicity, Oral - Category 3 Corrosive to Metals - Category 1

Serious Eye Damage/Irritation - Category 1 Skin Corrosion/Irritation - Category 1

Label Elements:

Hazard Pictogram(s):



Signal Word: DANGER

Hazard Statement(s): Fatal if in contact with skin.

Toxic if inhaled.

Toxic if swallowed.

May be corrosive to metals. Causes serious eye damage.

Causes severe skin burns and eye damage.

Precautionary Statement(s):

Prevention: Do not breathe dusts or mists.

Wear protective gloves, protective clothing, and eye/face protection.

Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing dust, vapours or spray. Use only outdoors or in a well-ventilated area.

Keep only in original packaging.

LIQ. RUST REMOVING SOUR

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison centre or physician.

IF ON SKIN: Call a physician immediately. Take victim to hospital immediately. Take off contaminated clothing and shoes immediately. Wash off with plenty of water. First treatment with calcium gluconate paste. Rinse with lukewarm running water. Make sure hospital staff is aware of the unique characteristics of injuries caused by HF exposures and the fact that the systemic toxic effects of the exposure will require prompt serum monitoring of fluorides, calcium, magnesium and sodium, and calcium replacement by infusion.

IF SWALLOWED:If conscious, rinse mouth with fresh water, give 1% aqueous calcium gluconate to drink.

First aid - Note to Physician: Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved. HF-Antidote Gel from IPS Healthcare is recommended as treatment for injuries from hydrofluoric acid.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

Storage: Store in a well-ventilated place.

Keep container tightly closed.

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	Conc. w/w	CAS#	Common Names
hydrogen fluoride (49%)	5 - 10%	7664-39-3	hydrofluoric acid, fluoric acid
ammonium bifluoride	10 - 30%	1341-49-7	

4. FIRST-AID MEASURES

Necessary Measures:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

IF ON SKIN: Call a physician immediately. Take victim to hospital immediately. Take off contaminated clothing and shoes immediately. Wash off with plenty of water. First treatment with calcium gluconate paste. Rinse with lukewarm running water. Make sure hospital staff is aware of the unique characteristics of injuries caused by HF exposures and the fact that the systemic toxic effects of the exposure will require prompt serum monitoring of fluorides, calcium, magnesium and sodium, and calcium replacement by infusion.

IF SWALLOWED:If conscious, rinse mouth with fresh water, give 1% aqueous calcium gluconate to drink. First aid - Note to Physician: Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved. HF-Antidote Gel from IPS Healthcare is recommended as treatment for injuries from hydrofluoric acid.

Most important symptoms, both acute and delayed:

Fatal if in contact with skin.

Toxic if inhaled.

Toxic if swallowed.

Causes serious eye damage.

Causes severe skin burns and eye damage.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide and hydrogen gas.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Do not breathe dusts or mists.

Do not get in eyes, on skin, or on clothing.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing dust, vapours or spray.

Use only outdoors or in a well-ventilated area.

Keep only in original packaging.

Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

Ingredient: Limit:

hydrogen fluoride (49%) ACGIH TLV-TWA: 2 ppm Ceiling

Immediately Dangerous to Life or Health: 30 ppm

ammonium bifluoride not available

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

LIQ. RUST REMOVING SOUR Page 3 of 5

Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): clear colourless liquid pungent odour

Odour threshold: not available

pH: 4.1

not available Melting/Freezing point: Initial boiling point and range: not available Flash point: not applicable **Evaporation rate:** not available Flammability (solid, gas): not available Upper/lower flammability or explosive limits: not available Vapour pressure: not available Vapour density: not available 1.058 Relative density (specific gravity): Solubility(ies): 100% Partition co-efficient: n-octanol/water: not available not available Auto-ignition temperature: **Decomposition temperature:** not available Viscosity: not available

10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

Reacts with metals.

Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

Incompatible materials:

Oxidizers / Base

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation: Inhalation: Corrosive! Product may cause severe irritation of the nose, throat and respiratory tract.

Repeated and/or prolonged exposures may cause productive cough, running nose,

bronchopneumonia, pulmonary edema and reduction of pulmonary function. Excessive contact with powder may cause drying of mucous membranes due to absorption of moisture and oils. In general, long-term exposure to high concentrations of dust may cause increased mucous flow in the nose

and respiratory system airways.

Ingestion: Toxic if swallowed.

Eye contact: Causes serious eye damage.

Skin contact: Causes severe skin burns and eye damage.

Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not available

Skin contact: not available **Skin absorption:** not available

Mutagenicity: not available

Carcinogenicity:

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - repeated exposure:

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

Toxicological Data:

<u>Ingredient:</u> <u>Data:</u>

hydrogen fluoride (49%)

Oral LD50: ~5 mg/kg (rat)

Dermal LD50: ~5 mg/kg (rat)

Inhalation LC50: ~0.5 mg/L 4h (rat)

ammonium bifluoride Oral LD50: 60 mg/kg (rat)

Inhalation LC50: 3 mg/L (rat) Dermal LD50: 50 mg/kg (rat)

Other Toxicological Information on Ingredients:

hydrogen fluoride (49%)

Severe hydrofluoric acid exposure may result in systemic fluoride poisoning. Hydrofluoric acid can deeply penetrate into tissues, causing spontaneous depolarization of the nervous tissue. Excessive amounts can: weaken and degenerate bone structure, cause joint damage, kidney damage, and heart, asthma, nerve, intestinal and rheumatism problems.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available

not available

not available

not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: UN 2922; CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, AMMONIUM

HYDROGENDIFLUORIDE); CLASS 8 (6.1); PG II

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

Date of Preparation:March 09, 2023Date of Revision:March 09, 2023

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

End of Document