#### 1. IDENTIFICATION

Product Identifier: H-40 GLYCOL SOLUTION Date of Revision: March 09, 2023

Product Code: S776

Other Name(s): not applicable
Distributed By: not applicable

Recommended Use and Restrictions on Use: antifreeze

Manufactured By: Ostrem Chemical Co. Ltd. Phone/Emergency Phone:

2310 - 80th Avenue NW 780-440-1911

Edmonton, Alberta, Canada T6P 1N2 Mon. - Fri. 8:00am - 4:30pm MT

www.ostrem.com

#### 2. HAZARDS IDENTIFICATION

Classification of the Mixture: Specific Target Organ Toxicity (Repeated Exposure) - Category 2

**Label Elements:** 

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statement(s): May cause damage to organs (kidneys, liver, central nervous system) through prolonged or

repeated exposure.

Precautionary Statement(s):

Prevention: Do not breathe fumes or vapours.

Response: Get medical advice/attention if you feel unwell.

Storage: not applicable

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Physical/health hazards not otherwise classified:

There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup).

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name Conc. w/w CAS # Common Names

ethylene glycol 45 - 70% 107-21-1

### 4. FIRST-AID MEASURES

### **Necessary Measures:**

Get medical advice/attention if you feel unwell.

### Most important symptoms, both acute and delayed:

May cause damage to organs (kidneys, liver, central nervous system) through prolonged or repeated exposure.

### Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

### **5. FIRE-FIGHTING MEASURES**

#### Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

#### Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide, irritating aldehydes and keytones.

H-40 GLYCOL SOLUTION Page 1 of 4

#### Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

#### **Environmental precautions:**

Prevent from entering sewers, waterways or low areas.

#### Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

### 7. HANDLING AND STORAGE

### Precautions for safe handling:

Do not breathe fumes or vapours.

Do not ingest. Avoid contact with eyes, skin and clothing.

#### Conditions for safe storage, including any incompatibilities:

Keep out of reach of children. Store in a cool, dry area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters - Exposure limits:**

<u>Ingredient:</u> <u>Limit:</u>

ethylene glycol TWA: 100 mg/m3 ACGIH (TLV)

CEIL: 125 mg/m3 OSHA (PEL) CEIL: 50 ppm OSHA (PEL)

### Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

### Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

### Other protection:

not applicable

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): clear colourless liquid

Odour: not available
Odour threshold: not available

pH: 8.4 Melting/Freezing point: -40 C

Initial boiling point and range: not available not applicable Flash point: not available **Evaporation rate:** not available Flammability (solid, gas): Upper/lower flammability or explosive limits: not available Vapour pressure: not available not available Vapour density: 1.060 Relative density (specific gravity): Solubility(ies): complete Partition co-efficient: n-octanol/water: not available Auto-ignition temperature: not available **Decomposition temperature:** not available

#### 10. STABILITY AND REACTIVITY

Viscosity:

H-40 GLYCOL SOLUTION Page 2 of 4

not available

#### Reactivity:

This material is considered to be non-reactive under normal use conditions.

### Chemical stability:

Stable.

### Possibility of hazardous reactions:

not available

### Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

#### Incompatible materials:

Oxidizers / Acid / Base

#### Hazardous decomposition products:

not available

#### 11. TOXICOLOGICAL INFORMATION

#### POTENTIAL ACUTE HEALTH EFFECTS

Inhalation:May cause respiratory tract irritation.Ingestion:May be harmful if swallowed.Eye contact:May cause eye irritation.Skin contact:May cause mild skin irritation.

Skin absorption: not available

#### POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not availableSkin absorption:not available

Mutagenicity: not available

Carcinogenicity:

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - repeated exposure:

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

**Toxicological Data:** 

<u>Ingredient:</u> <u>Data:</u>

ethylene glycol Oral LD50: 4700 mg/kg (rat)

### Other Toxicological Information on Ingredients:

### ethylene glycol

There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup). This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs.

The substance may be toxic to kidneys, liver, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

### 12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available
not available
not available
not available
not available

H-40 GLYCOL SOLUTION Page 3 of 4

### 13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

### 14. TRANSPORT INFORMATION

TDG classification: NON-REGULATED

### 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

### **16. PREPARATION INFORMATION**

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

Date of Preparation: March 09, 2023

Date of Revision: March 09, 2023

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

**End of Document** 

H-40 GLYCOL SOLUTION Page 4 of 4